

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1




FIG. 2




FIG. 3




FIG 4




FIG. 5

Filter in Housing

Volume 1- Large volume		
Clearance	0.5	inch
Small Dia	3.82	inch
Large Dia	4.62	inch
height	3.25	inch
Volume 1	22.05	Cubic inch
Volume 1	0.36	Liters

Volume 2 - Small vertical volume		
Clearance	0.15	inch
Small Dia	3.82	inch
Large Dia	4.62	inch
height	1.5	inch
Volume 1	2.86	Cubic inch
Volume 1	0.05	Liters

Volume 3 - volume above filter		
Large Dia	4.62	inch
height	0.2	inch
Volume 1	2.67	Cubic inch
Volume 1	0.009	Liters

Total Volume =	0.42	Liters
----------------	------	--------

Air volume & Height Calculations

Initial new filter - no fuel		
P1 =	14.7	PSI
T1 =	294	K
V1 =	0.42	Liters

Clean at system pressure		
P2 =	116	PSI
P2 =	7.98	atm
T2 =	333	K
V2 =	0.05	liters
V2 =	0.003	Cubic inch
Hight below top		

Seeing is Believing end point		
P3 =	188	PSI
P3 =	12.77	atm
T3 =	333	K
V3 =	0.01	liters
V3 =	0.0006	Cubic inch
Hight below top		

Difference in height		Inches
----------------------	--	--------

F16.6

Filter in Housing

Volume 1- Large volume		
Clearance	0.375	inch
Small Dia	3.82	inch
Large Dia	4.57	inch
height	2.75	inch
Volume 1	13.56	Cubic inch
Volume 1	0.22	Liters

Volume 2 - Small vertical volume		
Clearance	0.1	inch
Small Dia	3.82	inch
Large Dia	4.02	inch
height	2	inch
Volume 1	2.46	Cubic inch
Volume 1	0.04	Liters

Volume 3 - volume above filter		
Large Dia	4.02	inch
height	0.2	inch
Volume 1	2.54	Cubic inch
Volume 1	0.01	Liters

Air volume & Height Calculations

Initial new filter - no fuel		
P1 =		atm
V1 =	0.22	Liters

Clean at system pressure		
P2 =	60	PSI
P2 =		atm
V2 =	0.0595	liters
V2 =	4.059	Cubic inch
Hight below top	2 inches	

Seeing is Believing end point		
P3 =	80	PSI
P3 =	5.44	atm
V3 =	0.0398	liters
V3 =	2.824	Cubic inch
Hight below top	Full - at top	

Difference in height	2	Inches
----------------------	---	--------

FIG. 7




FIG. 8